

II. CLAIMS

1. (Currently Amended) A communication device comprising a bendable elastomeric keymat, a cover, and a substrate located within the cover comprising a plurality of key switches, wherein, said keymat comprises a plurality of lips located at and extending outward from edges of said keymat toward a rim of the cover and a plurality of pressure transmitters extending from an interior surface of the keymat, and said cover comprises a plurality of indentations configured to receive said plurality of lips, wherein the bendable elastomeric keymat comprises elastic properties that force the lips into the plurality of indentations on the cover to attach the edges of the keymat to the cover and said indentations are located at edges of a recess for removably mounting said keymat, the cover also includes a plurality of apertures through which the plurality of pressure transmitters pass to activate the plurality of key switches.

2. (Original) Communication device according to claim 1, wherein said keymat comprises one or more guiding pieces, and said cover comprises one or more corresponding guiding recesses.

3. (Original) Communication device according to claim 2, wherein said guiding pieces are arranged in direct connection to one or more of said plurality of lips.

4. (Original) Communication device according to claim 1, wherein said keymat comprises one or more guiding recesses, and said cover comprises one or more corresponding guide pieces.

5. (Previously Presented) Communication device according to claim 4, wherein said guiding pieces comprises one or more ribs extending to be received by said guide recesses.

6. (Currently Amended) A cover for a communication device comprising a recess for receiving ~~a~~an elastomeric keymat comprising a plurality of lips extending outward from edges of the elastomeric keymat, the cover further comprising a plurality of indentations located at the edges of said recess for receiving said plurality of lips and attaching the edges of the elastomeric keymat to the cover, where elastic properties of the elastomeric keymat force the lips into the recesses, and a plurality of apertures through which a plurality of pressure transmitters of the elastomeric keymat pass to activate a plurality of key switches located within the cover.

7. (Original) Cover according to claim 6, further comprising one or more guiding recesses.

8. (Original) Cover according to claim 7, wherein said one or more guiding recesses are arranged in direct connection to one or more of said plurality of indentations.

9. (Original) Cover according to claim 6, further comprising one or more guiding pieces.

10. (Original) Cover according to claim 9, wherein said guiding pieces are one or more ribs on a surface of said cover facing a place where a keymat is to be mounted.

11. (Currently Amended) A bendable elastomeric keymat for removable mounting on a cover of a communication device, comprising lips located at and extending from edges of said bendable elastomeric keymat configured to extend outward toward a rim of the cover and insert into indentations of said cover, wherein the bendable elastomeric keymat comprises elastic properties that force the lips into the indentations on the cover to attach the edges of the elastomeric keymat to the cover, the bendable elastomeric keymat further comprising a plurality of pressure transmitters extending from an interior surface of the elastomeric keymat configured to pass through apertures of the cover and to activate key switches located within the cover.

12. (Original) Keymat according to claim 11, further comprising one or more guiding pieces.

13. (Original) Keymat according to claim 12, wherein said guiding pieces are arranged in direct connection to one or more of said plurality of lips.

14. (Original) Keymat according to claim 11, further comprising one or more guiding recesses.

15. (Original) Keymat according to claim 14, wherein said one or more guiding recesses are an incision in a surface that is to be in contact with said cover when mounted on said cover.

16. (Original) Keymat according to claim 11, being moulded in one piece.